



Tritton and Girilambone Operations

Monthly Environmental Monitoring Report

[July] [2024]

Environmental Protection License 11254

TRITTON COPPER MINE

YARRANDALE ROAD, HERMIDALE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=11254&id=11254&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

Environmental Protection License 4501

TRITTON COPPER MINE

BOORAMUGGA ROAD, GIRILAMBONE, NSW, 2831

<http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=4501&id=4501&option=licence&searchrange=licence&range=POEO licence&prp=no&status=Issued>

[JULY] [2024] – GROUNDWATER MONITORING REPORT
TRITTON OPERATIONS LICENCE NO.11254

Licensee: TRITTON RESOURCES LIMITED EPL No. 11254					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 12 - PZH001	Quarterly	Sampled: 11/7/24 Obtained: 30/7/24 Published: 10/09/2024	Arsenic	0.001	mg/L ¹
			Barium	0.013	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0005	mg/L
			Chloride	3810	mg/L
			Chromium	0.002	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	14600	µS/cm ²
			Copper	0.037	mg/L
			Iron	0.15	mg/L
			Lead	0.001	mg/L
			Manganese	0.007	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.02	mg/L
			pH	7.62	pH Unit
			Sulfate	2300	mg/L
			Vanadium	0.01	mg/L
Zinc	0.156	mg/L			
SWL	6.69	m ³			
EPA ID No. 13 - PZH002	Quarterly	Sampled: 11/7/24 Obtained: 30/7/24 Published: 10/09/2024	Arsenic	0.001	mg/L
			Barium	0.018	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	3180	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	13000	µS/cm
			Copper	0.003	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.004	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.003	mg/L
			pH	7.56	pH Unit

¹ Milligrams per litre

² Microsiemens per centimetre

³ Metres

			Sulfate	2070	mg/L
			Vanadium	0.01	mg/L
			Zinc	0.024	mg/L
			SWL	26.02	m
EPA ID No. 14 - PZH003	Quarterly	Sampled: 11/7/24 Obtained: 30/7/24 Published: 10/09/2024	Arsenic	0.001	mg/L
			Barium	0.021	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0013	mg/L
			Chloride	5430	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.006	mg/L
			Conductivity (EC)	19300	µS/cm
			Copper	0.039	mg/L
			Iron	0.08	mg/L
			Lead	0.001	mg/L
			Manganese	0.182	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.033	mg/L
			pH	7.45	pH Unit
			Sulfate	2470	mg/L
Vanadium	0.01	mg/L			
Zinc	0.498	mg/L			
SWL	55.03	m			
EPA ID No. 15 - PZH004	Quarterly	Sampled: 11/7/24 Obtained: DRY Published: 10/09/2024	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
Vanadium		mg/L			
Zinc		mg/L			
SWL		m			
EPA ID No. 16 - PZH005	Quarterly	Sampled: 11/7/24	Arsenic	0.002	mg/L
			Barium	0.019	mg/L
		Obtained:	Beryllium	0.001	mg/L
			Cadmium	0.0035	mg/L

		30/7/24 Published: 10/09/2024	Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	3880 0.004 0.027 14900 0.151 0.42 0.005 0.445 0.0001 0.029 7.84 2430 0.01 0.388 7.91	mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 17 - PZH006	Quarterly	Sampled: 11/7/24 Obtained: Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	32.06	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 18 - PZH007	Quarterly	Sampled: 11/7/24 Obtained: D/M/Y Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L

			Mercury Nickel pH Sulfate Vanadium Zinc SWL	31.98	mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 19 - PZH008	Quarterly	Sampled: 11/7/24 Obtained: D/M/Y Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	13.01	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 20 - PZH009	Quarterly	Sampled: 11/7/24 Obtained: D/M/Y Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	9.55	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m

EPA ID No. 22 - PZH013	Quarterly	Sampled: 11/7/24 Obtained: DRY Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 23 - PZH014	Quarterly	Sampled: 11/7/24 Obtained: D/M/Y Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	40.63	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 24 - PZH015	Quarterly	Sampled: 11/7/24 Obtained: D/M/Y Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	42.39	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - PZH017	Quarterly	Sampled: 11/7/24 Obtained: D/M/Y Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	38.72	mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - PZH018	Quarterly	Sampled: 11/7/24 Obtained: D/M/Y Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL	14.53	mg/L mg/L m
EPA ID No. 27 - PZH019	Quarterly	Sampled: 11/7/24 Obtained: D/M/Y Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 28 - PZH020	Quarterly	Sampled: 11/7/24 Obtained: D/M/Y Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 29 - PZH021	Quarterly	Sampled: 11/7/24 Obtained: D/M/Y	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

		Published: 10/09/2024	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	41.93	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 30 - PZH022	Quarterly	Sampled: 11/7/24 Obtained: DRY Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 31 - PZH023	Quarterly	Sampled: 11/7/24 Obtained: DRY Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL		mg/L pH Unit mg/L mg/L mg/L m
--	--	--	--	--	--

[JULY] [2024] – GROUNDWATER MONITORING REPORT
GIRILAMBONE OPERATIONS LICENCE NO.4501

Licensee: TRITTON RESOURCES LIMITED					
EPL No. 4501					
Sample Point	Monitoring Frequency	Date	Parameter	Measurement	Unit
EPA ID No. 2 - GIP224	Monthly	Sampled: 5/7/24 Obtained: 16/7/24 Published: 10/09/2024	Arsenic	0.01	mg/L
			Barium	0.021	mg/L
			Beryllium	0.01	mg/L
			Cadmium	0.001	mg/L
			Chloride	8440	mg/L
			Chromium	0.01	mg/L
			Cobalt	0.01	mg/L
			Conductivity (EC)	29900	µS/cm
			Copper	0.017	mg/L
			Iron	0.1	mg/L
			Lead	0.01	mg/L
			Manganese	0.01	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.117	mg/L
			pH	7.48	pH Unit
			Sulfate	3570	mg/L
			Vanadium	0.1	mg/L
Zinc	0.061	mg/L			
SWL	8.43	m			
EPA ID No. 3 - GIP225	Monthly	Sampled: 30/7/24 Obtained: Published: 10/09/2024	Arsenic		mg/L
			Barium		mg/L
			Beryllium		mg/L
			Cadmium		mg/L
			Chloride		mg/L
			Chromium		mg/L
			Cobalt		mg/L
			Conductivity (EC)		µS/cm
			Copper		mg/L
			Iron		mg/L
			Lead		mg/L
			Manganese		mg/L
			Mercury		mg/L
			Nickel		mg/L
			pH		pH Unit
			Sulfate		mg/L
			Vanadium		mg/L
Zinc		mg/L			
SWL	12.61	m			

EPA ID No. 4 - GIP234	Quarterly	Sampled: 30/7/24 Obtained: Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	24.09	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 5 - GIP273	Quarterly	Sampled: 9/7/24 Obtained: Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	17.09	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 7 - GIP274	Monthly	Sampled: 30/7/24 Obtained: Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm

			Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	19.49	mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 6 - GIP276	Quarterly	Sampled: 30/7/24 Obtained: Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	22.36	mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 8 - GIP277	Quarterly	Sampled: 30/7/24 Obtained: Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L

			Vanadium Zinc SWL	18.4	mg/L mg/L m
EPA ID No. 9 - GIP278	Quarterly	Sampled: 30/7/24 Obtained: Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 10 - GIP279A	Quarterly	Sampled: 30/7/24 Obtained: Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L μS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 11 - GIP280A	Quarterly	Sampled: 13/7/24 Obtained:	Arsenic Barium Beryllium Cadmium Chloride		mg/L mg/L mg/L mg/L mg/L

		Published: 10/09/2024	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	22.44	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 12 - GIP290	Monthly	Sampled: 3/7/24 Obtained: 16/7/24 Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.018 0.01 0.0053 3720 0.01 0.09 17500 0.044 0.1 0.01 30.5 0.0001 0.026 6.64 5230 0.1 0.348 17.01	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 13 - GIP291	Monthly	Sampled: 3/7/24 Obtained: Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel pH Sulfate Vanadium Zinc SWL	11.76	mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 14 - GIP292A	Monthly	Sampled: 3/7/24 Obtained: 16/7/24 Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.063 0.01 0.201 5.05 1090 0.791 68 28100 377 555 0.01 526 0.0004 22 3.55 48200 0.35 402	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 16 - GIP292AS	Monthly	Sampled: 3/7/24 Obtained: DRY Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m

EPA ID No. 17 - GIP293	Monthly	Sampled: 4/7/24 Obtained: 16/7/24 Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.018 0.01 0.019 2.34 4410 0.01 26.1 42100 45.3 0.33 0.01 444 0.0001 10.6 3.92 36900 0.1 116 15.76	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 18 - GIP294	Monthly	Sampled: 3/7/24 Obtained: 16/7/24 Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	0.01 0.01 0.013 3.99 1620 0.01 40.2 51400 259 0.22 0.01 321 0.0015 15 4.33 51800 0.1 255 14.92	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L mg/L m
EPA ID No. 19 - GIP295	Monthly	Sampled: 30/7/24 Obtained: Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC)		mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm

		10/09/2024	Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	22.38	mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 25 - GIP301	Monthly	Sampled: 30/7/24 Obtained: Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury Nickel pH Sulfate Vanadium Zinc SWL	16.49	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L mg/L pH Unit mg/L mg/L mg/L m
EPA ID No. 26 - GIP302	Monthly	Sampled: 5/7/24 Obtained: 16/7/24 Published: 10/09/2024	Arsenic Barium Beryllium Cadmium Chloride Chromium Cobalt Conductivity (EC) Copper Iron Lead Manganese Mercury	0.01 0.011 0.01 0.184 5470 0.01 1.94 27600 0.247 0.1 0.01 54 0.0001	mg/L mg/L mg/L mg/L mg/L mg/L mg/L µS/cm mg/L mg/L mg/L mg/L mg/L

			Nickel	0.867	mg/L
			pH	5.98	pH Unit
			Sulfate	13000	mg/L
			Vanadium	0.1	mg/L
			Zinc	5.01	mg/L
			SWL	19.27	m
EPA ID No. 27 - GIP313	Monthly	Sampled: 3/7/24 Obtained: 16/7/24 Published: 10/09/2024	Arsenic	0.029	mg/L
			Barium	0.028	mg/L
			Beryllium	0.078	mg/L
			Cadmium	4.19	mg/L
			Chloride	3480	mg/L
			Chromium	0.01	mg/L
			Cobalt	58.6	mg/L
			Conductivity (EC)	41800	µS/cm
			Copper	193	mg/L
			Iron	0.71	mg/L
			Lead	0.01	mg/L
			Manganese	758	mg/L
			Mercury	0.0001	mg/L
			Nickel	20.5	mg/L
			pH	3.59	pH Unit
			Sulfate	48800	mg/L
			Vanadium	0.1	mg/L
Zinc	303	mg/L			
SWL	11.32	m			
EPA ID No. 28 – AT001	Monthly	Sampled: 15/7/24 Obtained: 30/7/24 Published: 10/09/2024	Arsenic	0.001	mg/L
			Barium	0.054	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0004	mg/L
			Chloride	5930	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.002	mg/L
			Conductivity (EC)	19500	µS/cm
			Copper	0.013	mg/L
			Iron	0.52	mg/L
			Lead	0.001	mg/L
			Manganese	0.094	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.005	mg/L
			pH	7.31	pH Unit
			Sulfate	1280	mg/L
			Vanadium	0.01	mg/L
Zinc	0.038	mg/L			
SWL	45.22	m			

EPA ID No. 29 – AT002	Monthly	Sampled: 15/7/24 Obtained: 30/7/24 Published: 10/09/2024	Arsenic	0.001	mg/L
			Barium	0.057	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0005	mg/L
			Chloride	7510	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	24100	µS/cm
			Copper	0.002	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.021	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.004	mg/L
			pH	7.1	pH Unit
			Sulfate	1700	mg/L
			Vanadium	0.01	mg/L
Zinc	0.019	mg/L			
SWL	35.91	m			
EPA ID No. 30 – AT003	Monthly	Sampled: 15/7/24 Obtained: 30/7/24 Published: 10/09/2024	Arsenic	0.021	mg/L
			Barium	0.002	mg/L
			Beryllium	0.001	mg/L
			Cadmium	0.0001	mg/L
			Chloride	6300	mg/L
			Chromium	0.001	mg/L
			Cobalt	0.001	mg/L
			Conductivity (EC)	20900	µS/cm
			Copper	0.004	mg/L
			Iron	0.05	mg/L
			Lead	0.001	mg/L
			Manganese	0.009	mg/L
			Mercury	0.0001	mg/L
			Nickel	0.006	mg/L
			pH	7.43	pH Unit
			Sulfate	1400	mg/L
			Vanadium	0.04	mg/L
Zinc	0.008	mg/L			
SWL	38.49	m			